TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 2 Round bar
Spec: ASTM B348 / ASME SB348 / ASTM F67 / ISO5832-2
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
2,00 mm	h 7	Call us	
3,00 mm	h 7	Call us	
4,00 mm	h 7	Call us	
5,00 mm	h 7	Call us	
6,00 mm	h 8	Call us	
8,00 mm	h 8	Call us	
10,00 mm	h 8	Call us	
12,00 mm	h 8	Call us	
14,00 mm	h 8	Call us	
15,00 mm	h 8	Call us	
16,00 mm	h 9	Call us	
18,00 mm	h 9	Call us	
20,00 mm	h 9	Call us	
22,00 mm	h 9	Call us	
25,00 mm	h 9	Call us	
30,00 mm	h 9	Call us	
35,00 mm	h 9	Call us	
40,00 mm	-0/+0.100	Call us	
45,00 mm	-0/+0.100	Call us	
50,00mm	-0/+0.100	Call us	
55,00 mm	-0/+0.100	Call us	
60,00 mm	-0/+0.120	Call us	
65,00 mm	-0/+0.120	Call us	
70,00 mm	-0/+0.140	Call us	
		Call us	
75,00 mm	-0/+0.140	Call us	
80,00 mm	-0/+0.140	Call us	
85,00 mm	-0/+0.140	Call us	
90,00 mm	-0/+0.200	Call us	
100,00 mm	-0/+0.500	Call us	
105,00 mm	-0/+0.500	Call us	
110,00 mm	-0/+0.500	Call us	
115,00 mm	-0/+0.500	Call us	
120,00 mm	-0/+0.500	Call us	

Office and warehouse: TITANIUM GATEWAY AB Allmänningsvägen 59 * SE17678 Järfälla
P: +46 (0)8 580 80 250 • F: +46 (0)8 580 80 259 • W: www.titanium-gateway.com • E: info@titanium-gateway.com

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 2 Round bar
Spec: ASTM B348 / ASME SB348 / ASTM F67 / ISO5832-2
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
130,00 mm	-0/+0.500	Call us	
140,00 mm	-0/+0.500	Call us	
150,00 mm	-0/+0.500	Call us	
160,00 mm	-0/+0.500	Call us	
170,00 mm	-0/+0.500	Call us	
180,00 mm	-0/+0.500	Call us	
190,00 mm	-0/+0.500	Call us	
200,00 mm	-0/+0.500	Call us	
225,00 mm	-0/+0.500	Call us	
230,00 mm	-0/+0.500	Call us	
250,00 mm	-0/+0.500	Call us	
280,00 mm	-0/+0.500	Call us	
305,00 mm	-0/+0.500	Call us	
330,00 mm	-0/+0.500	Call us	
350,00 mm	-0/+0.500	Call us	

Titanium Grade 4 Round bar
Spec: ASTM B348 / ASME SB348 / ISO5832-2 / ASTM F67
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
100,00 mm	-0/+0.500	Call us	
130,00 mm	-0/+0.500	Call us	

Titanium Grade 5 Round bar
Spec: ASTM B348 / ASME SB348 / ASTM F136 ELI / ISO 5832-3 / AMS 4928
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
2,00 mm	h 7	Call us	
3,00 mm	h 7	Call us	
4,00 mm	h 7	Call us	
5,00 mm	h 7	Call us	
6,00 mm	h 8	Call us	
8,00 mm	h 8	Call us	
10,00 mm	h 8	Call us	
12,00 mm	h 8	Call us	

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 5 Round bar
Spec: ASTM B348 / ASME SB348 / ASTM F136 ELI / ISO 5832-3 / AMS 4928
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
12,7 mm	h8	Call us	
14,00 mm	h 8	Call us	
15,00 mm	h 8	Call us	
16,00 mm	h 9	Call us	
18,00 mm	h 9	Call us	
19,05 mm	h9	Call us	
		Call us	
20,00 mm	h 9	Call us	
		Call us	
22,00 mm	h 9	Call us	
25,00 mm	h 9	Call us	
25,40 mm	h9	Call us	
		Call us	
26,00 mm	h 9	Call us	
30,00 mm	h 9	Call us	
31,75 mm	h9	Call us	
		Call us	
35,00 mm	h 9	Call us	
36,00 mm	h 9	Call us	
40,00 mm	-0/+0.100	Call us	
45,00 mm	-0/+0.100	Call us	
50,00 mm	-0/+0.100	Call us	
55,00 mm	-0/+0.100	Call us	
57,0 mm	-0/+0.100	Call us	
		Call us	
60,00 mm	-0/+0.120	Call us	
65,00 mm	-0/+0.120	Call us	
70,00 mm	-0/+0.140	Call us	
75,00 mm	-0/+0.140	Call us	
80,00 mm	-0/+0.140	Call us	
85,00 mm	-0/+0.140	Call us	
90,00 mm	-0/+0.200	Call us	
100,00 mm	-0/+0.500	Call us	
101,6 mm	-0/+3,0	Call us	
110,00 mm	-0/+0.500	Call us	
114,3 mm	-0/+3,0	Call us	
120,00 mm	-0/+0.500	Call us	

Office and warehouse: TITANIUM GATEWAY AB Allmänningsvägen 59 * SE17678 Järfälla
P: +46 (0)8 580 80 250 • F: +46 (0)8 580 80 259 • W: www.titanium-gateway.com • E: info@titanium-gateway.com

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 5 Round bar
Spec: ASTM B348 / ASME SB348 / ASTM F136 ELI / ISO 5832-3 / AMS 4928
Condition: annealed, centerless ground

Dia in mm	Tol.	QTY (kg)	Incoming
127,0 mm	-0/+3,0	Call us	
130,00 mm	-0/+0.500	Call us	
139,7 mm	-0/+3,0	Call us	
140,00 mm	-0/+0.500	Call us	
150,00 mm	-0/+0.500	Call us	
152,4 mm	-0/+3,0	Call us	
160,00 mm	-0/+0.500	Call us	
165,0 mm	-0/+0.500	Call us	
165,1 mm	-0/+3,0	Call us	
170,00 mm	-0/+0.500	Call us	
177,8 mm	-0/+3,0	Call us	
180,00 mm	-0/+0.500	Call us	
190,00 mm	-0/+0.500	Call us	
190,5 mm	-0/+3,0	Call us	
200,00 mm	-0/+0.500	Call us	
203,2 mm	-0/+3,0	Call us	
215,9 mm	-0/+3,0	Call us	
225,00 mm	-0/+0.500	Call us	
228,6 mm	-0/+3,0	Call us	
230,0 mm	-0/+0.500	Call us	
230,00 mm	-0/+0.500	Call us	
241,3 mm	-0/+3,0	Call us	
250,00 mm	-0/+0.500	Call us	
254,4 mm	-0/+3,0	Call us	
255,00 mm	-0/+0.500	Call us	
255,00 mm	-0/+0.500	Call us	
		Call us	
280,00 mm	-0/+0.500	Call us	
		Call us	
305,00 mm	-0/+0.500	Call us	
330,00 mm	-0/+0.500	Call us	
350,00 mm	-0/+0.500	Call us	

Office and warehouse: TITANIUM GATEWAY AB Allmänningsvägen 59 * SE17678 Järfälla
P: +46 (0)8 580 80 250 • F: +46 (0)8 580 80 259 • W: www.titanium-gateway.com • E: info@titanium-gateway.com

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 1 sheets
Spec: ASTM B265 GR1 edition 2015 / ASME SB 265 Gr1 edition 2015 DIN 17860 / NACE MR0175/ PED 2014/68/EU / AL 111 4890-63 rev. 13
Contidtion: cold/hot rolled, annealed

Dimension	QTY (kg)	Incoming
0,4 x 1000 x 2000 mm	Call us	
0,5 x 1000 x 2500 mm	Call us	
0,6 x 1000 x 2500 mm	Call us	
0,7 x 1000 x 2500 mm	Call us	
0,8 x 1000 x 2500 mm	Call us	
1,0 x 1250 x 3000 mm	Call us	
1,2 x 1000 x 2200 mm	Call us	
1,5 x 1250 x 3000 mm	Call us	
2,0 x 1250 x 3000 mm	Call us	
2,5 x 1250 x 3000 mm	Call us	
3,0 x 1250 x 3000 mm	Call us	
4,0 x 1000 x 2000 mm	Call us	
5,0 x 1000 x 2000 mm	Call us	
6,0 x 1000 x 2000 mm	Call us	

Titanium Grade 2 sheets
Spec: ASTM B265 GR2 -2015 / ASME SB 265 GR2 -2017
PED 2014/68/EU/ NACE MR0175
Condition: cold/hot rolled, annealed, polished

Dimension	QTY (kg)	Incoming
1,0 x 1000 x 2000 mm	Call us	
1,0 x 1250 x 2000 mm	Call us	
1,5 x 1000 x 2000 mm	Call us	
1,5 x 1250 x 2000 mm	Call us	
1,5 x 1250 x 2500 mm	Call us	
10,0 x 1500 x 2500 mm	Call us	
12,0 x 1500 x 2500 mm	Call us	
15,0 x 1500 x 2500 mm	Call us	
2,0 x 1000 x 2000 mm	Call us	
2,0 x 1250 x 2000 mm	Call us	
20,0 x 1500 x 2500 mm	Call us	
25,0 x 1500 x 2500 mm	Call us	
3,0 x 1000 x 2000 mm	Call us	

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 2 sheets
Spec: ASTM B265 GR2 -2015 / ASME SB 265 GR2 -2017
PED 2014/68/EU/ NACE MR0175
Condition: cold/hot rolled, annealed, polished

Dimension	QTY (kg)	Incoming
30,0 x 1500 x 2500 mm	Call us	
35,0 x 1500 x 2000 mm	Call us	
4,0 x 1000 x 2000 mm	Call us	
40,0 x 1500 x 2000 mm	Call us	
5,0 x 1000 x 2000 mm	Call us	
50,0 x 1500 x 2000 mm	Call us	
6,0 x 1000 x 2000 mm	Call us	
6,0 x 1500 x 2500 mm	Call us	
60,0 x 1000 x 2000 mm	Call us	
70,0 x 1000 x 2000 mm	Call us	
8,0 x 1500 x 2500 mm	Call us	

Titanium Grade 5 sheets
Spec: ASTM B265/ASME SB265
Condition: cold/hot rolled, annealed, grinded surface

Dimension	QTY (kg)	Incoming
1,0 x 1000 x 2000 mm	Call us	
1,5 x 1000 x 2000 mm	Call us	
10,0 x 1000 x 2000 mm	Call us	
12,0 x 1000 x 2000 mm	Call us	
	Call us	
12,7 x 1250 x 2500 mm	Call us	
15,0 x 1000 x 2000 mm	Call us	
	Call us	
2,0 x 1000 x 2000 mm	Call us	
20,0 x 1000 x 2000 mm	Call us	
	Call us	
25,0 x 1000 x 2000 mm	Call us	
25,4 x 1250 x 2500 mm	Call us	
	Call us	
3,0 x 1000 x 2000 mm	Call us	
3,0 x 1000 x 2400 mm	Call us	
3,0 x 1250 x 2500 mm	Call us	
30,0 x 1000 x 2000 mm	Call us	
	Call us	
	Call us	
35,0 x 1000 x 2000 mm	Call us	
	Call us	

Office and warehouse: TITANIUM GATEWAY AB Allmänningsvägen 59 * SE17678 Järfälla
P: +46 (0)8 580 80 250 • F: +46 (0)8 580 80 259 • W: www.titanium-gateway.com • E: info@titanium-gateway.com

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 5 sheets
Spec: ASTM B265/ASME SB265
Condition: cold/hot rolled, annealed, grinded surface

Dimension	QTY (kg)	Incoming
38,1 x 1250 x 2500 mm	Call us	
	Call us	
4,0 x 1000 x 2000 mm	Call us	
4,76 x 1250 x 2500 mm	Call us	
40,0 x 1000 x 2000 mm	Call us	
45,0 x 1000 x 2000	Call us	
5,0 x 1000 x 2000 mm	Call us	
50,0 x 1000 x 2000 mm	Call us	
	Call us	
50,8 x 1250 x 2000 mm	Call us	
	Call us	
6,0 x 1000 x 2000 mm	Call us	
6,35 x 1250 x 2500 mm	Call us	
60,0 x 1000 x 2000 mm	Call us	
	Call us	
63,5 x 1250 x 2500 mm	Call us	
	Call us	
70,0 x 1000 x 2000 mm	Call us	
	Call us	
76,2 x 1250 x 2500 mm	Call us	
8,0 x 1000 x 2000 mm	Call us	

Titanium Grade 7 sheets
Spec: ASTM B265/ASME SB265
Condition: cold/hot rolled, annealed, pickled surface

Dimension	QTY (kg)	Incoming
1,0 x 1000 x 2000 mm	Call us	
2,0 x 1000 x 2000 mm	Call us	
3,0 x 1000 x 2000 mm	Call us	

Titanium Grade 2 Tube / Pipe
Spec: ASTM B861 / ASME SB861 / NACE MR0175 / PED 2014/68/EU
Condition: annealed; seamless

Dimension		QTY (kg)	Incoming
OD 4,0 x W 0,5 mm	qty in m	Call us	

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 2 Tube / Pipe
Spec: ASTM B861 / ASME SB861 / NACE MR0175 / PED 2014/68/EU
Condition: annealed; seamless

Dimension		QTY (kg)	Incoming
OD 6,0 x W 1,0 mm	qty in m	Call us	
OD 8,0 x W 0,1 mm	qty in m	Call us	
OD 10,0 x W 1,0 mm	qty in m	Call us	
OD 12,0 x W 1,0 mm	qty in m	Call us	
OD 12,0 x W 2,0 mm	qty in m	Call us	
OD 13,72 x W 1,65 mm	qty in m	Call us	
OD 13,72 x W 2,24 mm	qty in m	Call us	
OD 15,88 x W 0,9 mm	qty in m	Call us	
OD 15,88 x W 1,65 mm	qty in m	Call us	
OD 18,0 x W 2,0 mm	qty in m	Call us	
OD 21,34 x W 2,11 mm	qty in m	Call us	
OD 21,34 x W 2,77 mm	qty in m	Call us	
OD 26,67 x W 2,11 mm	qty in m	Call us	
OD 26,67 x W 2,87 mm	qty in m	Call us	
OD 33,40 x W 2,77 mm	qty in m	Call us	
OD 33,40 x W 3,38 mm	qty in m	Call us	
OD 38,10 x W 1,65 mm	qty in m	Call us	
OD 42,16 x W 2,77 mm	qty in m	Call us	
OD 42,16 x W 3,56 mm	qty in m	Call us	
OD 48,26 x W 2,77 mm	qty in m	Call us	
OD 48,26 x W 3,68 mm	qty in m	Call us	
OD 50,8 x W 0,89 mm	qty in m	Call us	
OD 60,33 x W 2,77 mm	qty in m	Call us	
OD 60,33 x W 3,91 mm	qty in m	Call us	
OD 60,3 x W 0,89 mm	qty in m	Call us	
OD 60,33 x W 2,77 mm	qty in m	Call us	
OD 73,03 x W 3,05 mm	qty in m	Call us	
OD 73,03 x W 5,16 mm	qty in m	Call us	
OD 88,90 x W 3,05 mm	qty in m	Call us	
OD 88,90 x W 5,49 mm	qty in m	Call us	
OD 101,60 x W 3,05 mm	qty in m	Call us	
OD 101,60 x W 5,74 mm	qty in m	Call us	
OD 114,30 x W 3,05 mm	qty in m	Call us	

TITANIUM GATEWAY

STOCK & SALES - TITANIUM & SPECIAL ALLOYS

Titanium Grade 2 Tube / Pipe
Spec: ASTM B861 / ASME SB861 / NACE MR0175 / PED 2014/68/EU
Condition: annealed; seamless

Dimension		QTY (kg)	Incoming
OD 114,30 x W 6,02 mm	qty in m	Call us	
OD 141,30 x W 3,40 mm	qty in m	Call us	
OD 141,30 x W 6,55 mm	qty in m	Call us	
OD 168,28 x W 3,40 mm	qty in m	Call us	
OD 168,28 x W 7,11 mm	qty in m	Call us	

Titanium Grade 2 Welding wire
AWS A5.16 ERTi-2

Dimension	QTY (kg)	Incoming
1,2 mm	Call us	
1,6 mm	Call us	
2,0 mm	Call us	
2,4 mm	Call us	
3,2 mm	Call us	

Titanium Grade 5 Welding wire
AWS A5.16 ERTi-5

Dimension	QTY (kg)	Incoming
1,6 mm	Call us	
2,4 mm	Call us	

Titanium Grade 2 Profiles
Spec: ASTM B265
Condition: hot rolled, annealed, straight, black and sandblasting surface

Dimension	QTY (kg)	Incoming
9,5 x 9,5	Call us	
12,7 x 12,7	Call us	
19,05 x 19,05	Call us	
25,4 x 6,35	Call us	
25,4 x 12,7	Call us	
25,4 x 25,4	Call us	